

## Best Available Copy

## II. CLAIM AMENDMENTS

1. (Currently Amended) A coupling device for attaching a ~~portable external device~~ mobile phone with a user interface to a television device so as to extend the user interface, which television device has a first input to receive a first information signal in a first format, wherein the coupling device comprises:

a short range radio receiver configured to ~~receive~~ receive a second information signal in a second format from the ~~portable external device~~ mobile phone;

a converter configured to convert said second information signal to a third information signal in the first format; and

a first output for supplying said third information signal in the first format to the first input of said television device.

2. (Previously Amended) A coupling device according to claim 1, wherein the coupling device comprises a second input for receiving the first information signal to be relayed to the television device through said first output.

3. (Original) A coupling device according to claim 1, wherein said first output is a SCART-connector.

4. (Original) A coupling device according to claim 1, wherein said first output is an antenna cable connector.

5. (Currently Amended) A coupling device according to claim 2, wherein said coupling device comprises a switch to disconnect the first information signal from said first output when the coupling device is communicating with said ~~portable external device~~mobile phone and to connect the first information signal to said first output when the coupling device is not communicating with said ~~portable external device~~mobile phone.

6. (Previously Amended) A coupling device according to claim 1, wherein said coupling device comprises an internal power source.

7. (Currently Amended) A coupling device according to claim 1, wherein the coupling device comprises:

means for obtaining information from the first information signal; and

a short range radio transmitter for transmitting said information through a short range radio connection to said ~~portable external device~~mobile phone.

8. (Previously Amended) A coupling device according to claim 1, wherein said second information signal comprises at least one of the following: picture and sound information.

9. (Cancelled)

10. (Original) A coupling device according to claim 1, wherein said short range radio connection is an LPRF link.

11. (Currently Amended) A coupling device according to claim 1, wherein by coupling said first output to said first input said ~~portable external device~~mobile phone is detachably attachable to a television device.

12. (Currently Amended) A coupling device according to claim 1, wherein said ~~portable external device~~mobile phone comprises means for attaching said ~~portable external device~~mobile phone detachably to a television device.

13. (Currently Amended) A system comprising a ~~portable external device~~mobile phone and a television device having a first input to receive a first information signal in a first format,

which ~~portable external device~~mobile phone has a user interface and a short range radio transmitter configured to transmit a second information signal in a second format, wherein

the system comprises a coupling device for receiving the second information signal from the ~~portable external device~~mobile phone to a television device to be presented on the television device so as to extend the user interface of the ~~portable external device~~mobile phone, which coupling device comprises:

a short range radio receiver configured to receive the second information signal from the ~~portable external device~~mobile phone;

a converter configured to convert the second information signal to a third information signal in said first format; and

a first output to supply said third information signal in the first format to the first input of said television device.

14. (Currently Amended) A method for coupling ~~an external device~~a mobile phone comprising a user interface to a television device so as to extend the user interface of the ~~portable device~~mobile phone, which television device contains a first input to receive a first information signal in a first format, wherein

the coupling device receives a second information signal in a second format from the ~~portable external device~~mobile phone over a short range radio connection;

the coupling device converts the second information signal to a third information signal in the first format suitable to the television device; and

the coupling device provides the first input with the third information signal.

15. (Currently Amended) A coupling device according to claim 6, wherein said ~~portable external device~~mobile phone comprises a rechargeable battery and said coupling device further comprises a

battery charger adapted for charging said portable external device.

16. (Previously Added) A coupling device according to claim 1, wherein the first information signal comprising TV broadcast information.

17. (Currently Amended) A coupling device according to claim 6, wherein said coupling device comprises means for ~~turning~~turning off circuitry providing unnecessary functions to save power when the link module is not needed to pass signals from the ~~portable external device~~mobile phone to the television device.

18. (Currently Amended) A system according to claim 13, wherein said user interface of the ~~external device~~mobile phone comprises an input portion to receive user input.

19. (Previously Added) A system according to claim 13, wherein the first information signal comprises television broadcast information.

20. (Currently Amended) A coupling device according to claim 1, comprising a mixer for mixing the first and third information signals so as to cause the television device to simultaneously present information from both the first and third information signals together.

21. (Currently Amended) A method according to claim 14, comprising mixing the first and third information signals so as to cause the television device to simultaneously present information from both the first and third information signals together.

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

## **BEST AVAILABLE IMAGES**

**Defective images within this document are accurate representations of the original documents submitted by the applicant.**

**Defects in the images include but are not limited to the items checked:**

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**

☒ **OTHER:** A circular line cuts through most of the  
pages

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**